

RESTSHARP

JAN DRYK

 \bigcirc

LIBRARY FOR WORKING WITH REST ENDPOINTS

- BUILD IN C#, WORKS WITH F#, C# AND VISUAL BASIC.NET
- WORKS ON WINDOWS STORE, WINDOWS PHONE, WINDOWS, LINUX, MAC OS, IOS, ANDROID, XBOX, PLAYSTATION (BASICLY EVERYTHING)
- AUTHENTICATORS (OAUTH, HTTP BASIC ...)
- SERIALIZATION
- ASYNC



ORGANIZACE

- GITHUB.COM/RESTSHARP/RESTSHARP
- 136 CONTRIBUTORS, 3 MAINTAINERS
- BUG MANAGEMENT GITHUB
- COMMUNICATION GITHUB
- SINCE 2009, FEATURE COMPLETE -> ACTIVITY SETTLING DOWN

MY WORK

- WHEN YOU SET SOMETHING EXTRA TO A CONTENT TYPE PROPERTY OF THE REQUEST IT MYSTERIOUSLY VANISHES
- BECAUSE WHEN BUILDING THE REQUEST THE CONTENT TYPE IS SET ACCORDING TO THE TYPE OF THE BODY
- SOLUTION: SET THE CONTENT TYPE ACCORDING TO BODY TYPE ONLY IF CONTENT TYPE NOT SPECIFIED BY THE USER